

**UMASIPALA
WASOLUNDI**

“ The City of Heritage ”



**ULUNDI
MUNICIPALITY**

QUOTE NO 101/2013/2014

REQUEST FOR FORMAL WRITTEN QUOTATIONS

Bids are hereby invited from suppliers registered on the Ulundi Municipality supplier database for supply and delivery of RENOVATION OF TOILETS detailed in the specification.

The quotation must be submitted on the letterhead of your enterprise clearly indicating the quote number addressed to reach us by not later than **02April 2014 before 12:00**

Bidders are required to attend a compulsory site inspection will be held at supply chain management unit on 27/03/2014 at 9:00am

Tel: 035 874 5120 Fax: 035 874 5174

NB: ONLY FAXED QUOTATIONS WILL BE ACCEPTED

Supply Chain Management Unit, Ulundi Municipality, Cnr. Princess Magogo Str. And King Zwelithini Str.

The following conditions will apply:

- Prices quoted must be valid for at least thirty (30) days from the date of your offer.
- Prices quoted must be firm and must be inclusive of VAT.
- A firm delivery period must be indicated.
- A valid original tax clearance certificate must be supplied with the quotation.
- NB: No quotations will be considered from persons in the service of the state.
- Failure to comply with these conditions may invalidate your offer.
- The Ulundi Municipality reserves the right to accept the quote in whole or in part.

SPECIFICATION

BUILDING “A”OLD BUILDING PUBLIC TOILETS

NO	DESCRIPTION	QTY
1.	Replace flushing system with new duck type system/press button type	10
2.	Remove and reposition/replace gate	01
3.	Fitting of new copper piping and related fitting 22mm & 15mm	20m
4.	Fitting of cobra demand metering taps (press type)	10
5.	Fitting of ball stop value 15mm	20
6.	Fitting 22mmx15mmx22mm centre tee compression fittings	16
7.	Flexible braided connectors	16
8.	Stainless steel toilets roll holder	10
9.	40mmx40mm P-trap	10
10.	Weld hinges and repair all 10 steel doors	10
11.	Unblock all sewer/waste blockages	
12.	Garden tap cobra 22mm	01
13.	Pan connector with IE	10
	NOTE: ALL COPPER PIPES TO BE CONNECTED USING COMPRESSION FITTINGS	

BUILDING “B”NEW BUILDING PUBLIC TOILETS

1.	Replace flush mechanism and cistern cover/lid	08
2.	Fit demand metering taps 15mm press type	06
3.	Remove window pane, replace with bricks jointed	4m ²
4.	Repair all water leaks	
5.	Unblock all sewer/waste blockage	
6.	Replace junction 110x90 SV IE	06
7.	Repair/Replace urinal flush master	03
8.	Repair manhole brickwork and replace 1mx1m manhole cover cast iron with frame	01