



QUOTE NO: 04/02

REQUEST FOR FORMAL WRITTEN QUOTATIONS

Bids are hereby invited from suppliers registered on the Ulundi Municipality supplier database Provision of Fencing materials and Installation as per the attached specification.

The quotation must be submitted on the letterhead of your enterprise in a clearly indicating the quote number addressed to reach us by not later than **12 June 2026 at 12h00 midday.**

Tel: 087 287 0018

Email: zmakhoba@ulundi.gov.za

NB: ONLY EMAILED AND HAND DELIVERED QUOTATIONS WILL BE ACCEPTED

Supply Chain Management Unit, Ulundi Municipality, Cnr. Princess Magogo Str. And King Zwelithini Str.

The following conditions will apply:

- Prices quoted must be valid for at least thirty (30) days from the date of your offer.
- Prices quoted must be firm and must be inclusive of VAT.
- A firm delivery period must be indicated.
- Filled MBD forms 4, 6.1, 8, and 9.
- The service provide must be registered and compliant on Central Supplier Database (CSD)
- NB: No quotations will be considered from persons in the service of the state.
- Failure to comply with these conditions may invalidate your offer.
- The Ulundi Municipality reserves the right to accept the quote in whole or in part.
- 80/20 preference point system will be used and evaluated as follows:

Price – 80

Black – 5

Women – 5

Youth – 5

Disability – 5

SPECIFICATION

Item	Description	Quantity
1	Galvanized Steel Poles ➤ Supply and delivery of hot-dip galvanized steel poles suitable for outdoor and municipal infrastructure applications. ➤ Poles must be new, unused, straight, structurally sound and free from defects. ➤ Steel poles must be manufactured from high-quality structural steel. ➤ Poles must be suitable for long-term outdoor exposure and resistant to corrosion.	217
2	Mesh Wire • Supply and delivery of high-quality galvanized mesh wire suitable for fencing and general outdoor applications. • Mesh wire must be new, unused, durable and free from defects. • Wire must be resistant to corrosion and suitable for long-term outdoor exposure. 2. Material • Manufactured from high-quality steel wire. • Finish: hot-dip galvanized or equivalent corrosion-resistant coating. • Galvanized coating must be uniform and free from excessive flaking, peeling, bare areas or visible defects. 3. Mesh Size • Mesh aperture: 50 mm × 50 mm, unless otherwise specified. • Mesh openings must be uniform and consistently formed. • Mesh must be securely woven or welded, depending on the specified type	23
3	Razor Wire 1. General Requirements • Supply and delivery of high-quality galvanized razor wire suitable for perimeter security fencing. • Razor wire must be new, unused, durable and suitable for outdoor applications. • The product must be manufactured for security/perimeter protection purposes and be resistant to corrosion and weather conditions. 2. Material • High-tensile steel core wire with a corrosion-resistant galvanized coating. • Cutting elements must be securely fixed to the core wire. • Galvanizing must provide uniform corrosion protection suitable for outdoor exposure.	50

NB The successful service provider will also need to install the Fencing to the municipal building

Approved

BY 

SCM MANAGER

05/06/2025

1

2